

SUMMARY OF ANALYSIS (SAMPLE ID: SA29161)

Testing Location:	Customer ID: 37	Order ID: OR9121	Sample Type: Primary
Arkansas	Can-Tek Labs	Lot Number:	Matrix: Oil/Tincture
232 S. Broadview St.	8107 S I-35 Service Rd	Not Entered	Mass: 10g
Greenbrier, AR 72058	Oklahoma City, OK 73149	Batch Number:	Date Collected: 10/01/2020
ADH License: 113	License: Not Entered or N/A	CTK-100120-01	Date Received: 10/08/2020
Cultivar (Strain) or Sample Description: PCR 500mg Tincture Trial size			Date Completed: 10/09/2020

*This page is simply a summary of the analysis performed. For analytical details, please consult the individual Certificate(s) of Analysis for each of the specific test(s) performed.

Moisture Content (%)	PASS/FAIL	Water Activity (aw)	PASS/FAIL
Not Tested	N/A	Not Tested	N/A

<u>Cannabinoids (Top 3)</u>	<u>(%)</u>	<u>mg/g</u>
CBD	0.916	9
CBG	0.03	0.3
CBDv	0.00444	0.0444
TOTAL CBD	0.917	9
TOTAL THC	-	-
TOTAL CANNABINOIDS	0.952	10

<u>Contaminants</u>	<u>PASS/FAIL</u>
Visual Inspection:	PASS

Sample Picture Upon Receipt



Scan the QR code to verify results.

This information is provided as a service and makes no claims of efficacy and/or safety of this product.

Results are applicable only for the sample(s) analyzed and for the specific analysis conducted.

This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms.

The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director



CERTIFICATE OF ANALYSIS (SAMPLE ID: SA29161)

Testing Location:	Customer ID: 37	Order ID: OR9121	Sample Type: Primary
Arkansas	Can-Tek Labs	Lot Number:	Matrix: Oil/Tincture
232 S. Broadview St.	8107 S I-35 Service Rd	Not Entered	Mass: 10g
Greenbrier, AR 72058	Oklahoma City, OK 73149	Batch Number:	Date Collected: 10/01/2020
ADH License: 113	License: Not Entered or N/A	CTK-100120-01	Date Received: 10/08/2020
Cultivar (Strain) or Sample Description: PCR 500mg Tincture Trial size			Date Completed: 10/09/2020

CANNABINOID (POTENCY) PROFILE

Analysis Date/Time: 10/08/2020 1653
Analyst: PW

Method: HPLC/DAD
Instrument: Agilent 1100

Moisture Content (%): -
Water Activity (aw): -


Cannabinoid	Result (%)	Result (mg/g)	Reporting Limit (mg/g)	Result (mg/mL)	Per Unit (mg)
CBD	0.916	9.16	0.00279	8.79	92
CBDa	0.00115	0.0115	0.00279	0.011	0.115
CBDv	0.00444	0.0444	0.00279	0.0426	0.444
Δ9-THC	-	-	0.00279	-	-
Δ8-THC	-	-	0.00279	-	-
THCa	-	-	0.00279	-	-
THCv	-	-	0.00279	-	-
CBC	-	-	0.00279	-	-
CBG	0.03	0.3	0.00279	0.288	3
CBGa	-	-	0.00279	-	-
CBN	-	-	0.00279	-	-
TOTAL	0.952	10		9.14	95
TOTAL THC	-	-		-	-
TOTAL CBD	0.917	9		8.8	92



UNIT MASS (g): 10

"-" Not detected above RL.

Cannabinoid Distribution (% of Total Cannabinoids)



Deviations from standard operating procedure: None

Recoveries for all analyte standards: 90-110%
Replicate Uncertainties: <5% RSD, <20% RPD
Sample/Reagent Blanks: <RL for all analytes

Values for plant matter are adjusted for moisture content.

Total THC = (THCa x 0.877) + Δ9-THC
Total CBD = (CBDa x 0.877) + CBD

Percentage results are reported by mass.
mg/g results are reported as mass component per mass material.

Abbreviations: UV - Ultraviolet, HPLC - High Pressure Liquid Chromatography, RL - Reporting Limit, RPD - Relative Percent Difference, RSD - Relative Standard Deviation

This information is provided as a service and makes no claims of efficacy and/or safety of this product. Results are applicable only for the sample(s) analyzed and for the specific analysis conducted. This report is for informational purposes only and should not be used to diagnose, treat, or prevent any medical-related symptoms. The statements and results herein have not been approved and/or endorsed by the FDA.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of
Felling Analytical Services and Technology (F.A.S.T.), LLC

www.FASTLaboratories.com

Kyle W. Felling
Kyle W. Felling, Ph.D.
Laboratory Director

